



Test Requisition Form

Customer Information

Customer ID:

(If Customer ID is not available, please fill the following details)

Name:

Full Address:

Contact Number(s):

Email Address:

TIN Number:

Customer Declaration

I/We hereby agree to the **WQA Laboratory Terms of Services** available in MWSC website and request MWSC to proceed with the requested laboratory tests.

Return of Containers

Requested by:

Signature:

Requested date:

Sample Details

#	Description/Location	Type of sample (please tick)	SM	Sample Container			Sampled on		Test ID of all (Tests to be performed (Please refer to page 2))	Temperature (MWSC Use only)
				Volume (ml)	Type	No's	Date	Time		
1		S <input type="checkbox"/> G <input type="checkbox"/> R <input type="checkbox"/> D <input type="checkbox"/> B <input type="checkbox"/> W <input type="checkbox"/> Others:	TF <input type="checkbox"/> D <input type="checkbox"/>							
2		S <input type="checkbox"/> G <input type="checkbox"/> R <input type="checkbox"/> D <input type="checkbox"/> B <input type="checkbox"/> W <input type="checkbox"/> Others:	TF <input type="checkbox"/> D <input type="checkbox"/>							
3		S <input type="checkbox"/> G <input type="checkbox"/> R <input type="checkbox"/> D <input type="checkbox"/> B <input type="checkbox"/> W <input type="checkbox"/> Others:	TF <input type="checkbox"/> D <input type="checkbox"/>							
4		S <input type="checkbox"/> G <input type="checkbox"/> R <input type="checkbox"/> D <input type="checkbox"/> B <input type="checkbox"/> W <input type="checkbox"/> Others:	TF <input type="checkbox"/> D <input type="checkbox"/>							
5		S <input type="checkbox"/> G <input type="checkbox"/> R <input type="checkbox"/> D <input type="checkbox"/> B <input type="checkbox"/> W <input type="checkbox"/> Others:	TF <input type="checkbox"/> D <input type="checkbox"/>							
6		S <input type="checkbox"/> G <input type="checkbox"/> R <input type="checkbox"/> D <input type="checkbox"/> B <input type="checkbox"/> W <input type="checkbox"/> Others:	TF <input type="checkbox"/> D <input type="checkbox"/>							
7		S <input type="checkbox"/> G <input type="checkbox"/> R <input type="checkbox"/> D <input type="checkbox"/> B <input type="checkbox"/> W <input type="checkbox"/> Others:	TF <input type="checkbox"/> D <input type="checkbox"/>							

Key

Sampled Methods (SM): TF - Tap flushed before sampling, D-Dipped from a well or a tank

Sample Types: S: Sea Water, G: Ground Water, R: Rainwater, D: Desalinated water, B: Bottled Water, W: Wastewater

For MWSC use only

Requisition form Number:		
Evaluation of Request	Reviewed & received by (Showroom):	Reviewed & received by (WQA Lab):
Acceptability of sample condition		
Sample description / number		
Sufficient sample qty and volume		
Availability of tests requested		
Remarks:	Date & Time:	Date & Time:
	Signature:	Signature:

Male' Water and Sewerage Company Pvt Ltd.

Water Quality Assurance Laboratory

FEN Building 5th Floor, Machangoalhi, Ameenemagu, Male', Maldives

Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



TEST ID No.	PARAMETER	PRICE (Rf)	TYPE OF WATER	CONTAINER	MIN.REQ VOLUME (mL)
Chemical Analysis					
C1	Conductivity	127.93	S, G, R, D, B, W	P/G	100
C2	pH	113.51	S, G, R, D, B, W	P/G	
C3	Salinity	141.72	S, G, R, D, B, W	P/G	
C4	Temperature	-	S, G, R, D, B, W	P/G	
C5	Total Dissolved Solids (TDS)	127.93	S, G, R, D, B, W	P/G	
C6	Total Suspended Solids (TSS)	83.21	S, G, R, D, B, W	P/G	20
C7	Turbidity	55.22	S, G, R, D, B, W	P/G	20
C8	Chlorine, Free (Cl ₂) (onsite testing preferred)	171.79	S, G, R, D, B, W	G	20
C9	Chlorine, Total (Cl ₂)	171.79	S, G, R, D, B, W	G	30
C10	Chlorine Dioxide (ClO ₂)	171.79	S, G, R, D, B, W	G	20
C11	Bromine (Br ₂)	171.79	S, G, R, D, B, W	G	30
C12	Chloride (Cl ⁻)	169.55	S, G, R, D, B, W	P/G	20
C13	Chromium (Cr ⁶⁺)	99.65	S, G, R, D, B, W	P/G	20
C14	Copper (Cu)	129.96	S, G, R, D, B, W	P/G	30
C15	Fluoride (F ⁻)	80.29	S, G, R, D, B, W	P/G	20
C16	Iodine, Total (I ₂)	171.79	S, G, R, D, B, W	G	30
C17	Iron, Total (Fe)	94.21	S, G, R, D, B, W	P/G	30
C18	Manganese (Mn)	156.80	S, G, R, D, B, W	P	20
C19	Nitrate (NO ₃ ⁻)	136.89	S, G, R, D, B, W	P/G	20
C20	Nitrite (NO ₂ ⁻)	71.97	S, G, R, D, B, W	P/G	20
C21	Nitrogen Ammonia (N-NH ₃)	109.69	S, G, R, D, B, W	P/G	30
C22	Sulphate (SO ₄ ²⁻)	79.66	S, G, R, D, B, W	P/G	30
C23	Sulphide (S ²⁻)	85.50	S, G, R, D, B, W	P/G	30
C24	Ozone	153.31	R, D, B	P/G	30
C25	Aluminum	251.06	R, D, B	P/G	30
C26	Barium	88.97	S, G, R, D, B, W	P/G	20
C27	Cobalt	172.12	R, D, B	P	20
C28	Nickel	172.12	R, D, B	P	20
C29	Hardness, Calcium	73.67	S, G, R, D, B, W	P/G	250
C30	Hardness, Magnesium	73.67	S, G, R, D, B, W		
C31	Hardness, Total	73.67	S, G, R, D, B, W		
C32	Magnesium	73.67	S, G, R, D, B, W		200
C33	Calcium	73.67	S, G, R, D, B, W		150
C34	Total Alkalinity	68.57	S, G, R, D, B, W	P	20
C35	Boron (B)	169.61	S, G, R, D, B, W	P/G	20
C36	Phosphate(PO ₄ ³⁻)	79.91	S, G, R, D, B, W	G	20
C37	Oxygen Demand, Chemical (COD)	216.69	G, R, D, B, W	G	200
C39	Oxygen, Dissolved (DO)	156.84	S, G, R, D, B, W	P/G	1000
C40	Oxygen Demand, Biological (BOD ₅)	195.75	S, G, R, D, B, W	P/G	300
C41	Color, Apparent	131.74	S, G, R, D, B, W	P/G	1000
C42	Color, True	131.74	S, G, R, D, B, W	P/G	
C43	Phenols	409.41	S, G, R, D, B, W	P/G	30
C44	Zinc	87.32	S, G, R, D, B, W	P/G	50
C49	Total petroleum hydrocarbon	392.45	S, G, R, D, B, W	P/G	
Microbiological Analysis					
M1	Coliforms, Total	250.00	S, G, R, D, B, W	S	100 ml
M2	Coliforms, Faecal	250.00	S, G, R, D, B, W	S	100 ml
M3	E-Coli	250.00	S, G, R, D, B, W	S	100 ml
M4	Heterotrophic Plate Count (HPC)	475.36	S, G, R, D, B, W	S	250 ml
M5	Pseudomonas	200.50	S, G, R, D, B, W	S	250 ml
M8	Enterococcus	330.70	S, G, R, D, B, W	S	250 ml

NOTE: In cases where total volume required is less than 100ml, please provide atleast **100ml minimum**

CONTAINERS: P - Plastic bottle, G - Glass bottle, S - Sterilized airtight container

SAMPLE Types: S: Sea Water, G: Ground Water, R: Rain Water, D: Desalinated water, B: Bottled Water, W: Waste Water